

## Refine Search

### Search Results -

Term	Documents
(31 NOT 28).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	38
(L31 NOT L28 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	38

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L32

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, April 25, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=ADJ		
<u>L32</u> L31 not l28	38	<u>L32</u>
<u>L31</u> L30 and l7	38	<u>L31</u>
<u>L30</u> ((updat\$ or modif\$ or chang\$) near3 (type\$1 or value\$1 or attribute\$1 or propert\$)) and ((convert\$ or translat\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	545	<u>L30</u>

<u>L29</u>	L28 and ((updat\$ or modif\$ or chang\$) near3 (type\$1 or value\$1 or attribute\$1 or propert\$))	7	<u>L29</u>
<u>L28</u>	L27 and ((convert\$ or translat\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	30	<u>L28</u>
<u>L27</u>	715/513.ccls. or 715/530.ccls. or 715/501.1.ccls.	3420	<u>L27</u>
<u>L26</u>	L25 and ((updat\$ or modif\$ or chang\$) near3 (type\$1 or value\$1 or attribute\$1 or propert\$))	9	<u>L26</u>
<u>L25</u>	L24 and ((convert\$ or translat\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	29	<u>L25</u>
<u>L24</u>	709/201.ccls. or 709/203.ccls.	6700	<u>L24</u>
<u>L23</u>	L22 and ((convert\$ or translat\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	3	<u>L23</u>
<u>L22</u>	L21 and ((updat\$ or modif\$ or chang\$) near3 (type\$1 or value\$1 or attribute\$1 or propert\$))	22	<u>L22</u>
<u>L21</u>	L20 and (application\$1 or software or program\$1) same (design-time or (design adj time))	39	<u>L21</u>
<u>L20</u>	717/100.ccls. or 717/105.ccls. or 717/115.ccls. or 717/116.ccls.	999	<u>L20</u>
<u>L19</u>	L18 and ((updat\$ or modif\$ or chang\$) near3 (type\$1 or value\$1 or attribute\$1 or propert\$))	14	<u>L19</u>
<u>L18</u>	114 and ((convert\$ or translat\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	19	<u>L18</u>
<u>L17</u>	L16 not 115	19	<u>L17</u>
<u>L16</u>	114 and ((convert\$ or translat\$ or interpret\$) same (type\$1 or value\$1 or attribute\$1 or propert\$) same (runtime or run-time or (run adj time)))	21	<u>L16</u>
<u>L15</u>	L14 and 715/\$.ccls.	14	<u>L15</u>
<u>L14</u>	L13 and ((runtime or run-time or (run adj time)) with (control\$ or information))	84	<u>L14</u>
<u>L13</u>	(application\$1 or software or program\$1) same interface\$ same (design-time or (design adj time))	216	<u>L13</u>
<u>L12</u>	((design-time or (design adj time)) adj2 control\$) same match\$ same (type\$1 or value\$1 or attribute\$1 or propert\$))	0	<u>L12</u>
<u>L11</u>	L10 and (((design-time or (design adj time)) adj2 control\$) same match\$ same (type\$1 or value\$1 or attribute\$1 or propert\$))	0	<u>L11</u>
<u>L10</u>	((design-time or (design adj time)) adj2 control\$) and (runtime or run-time or (run adj time))	22	<u>L10</u>

<u>L9</u>	L8 and ((design-time or (design adj time)) near2 control\$)	6	<u>L9</u>
<u>L8</u>	L7 and ((first or second) adj control\$)	42	<u>L8</u>
<u>L7</u>	(((control\$) with (type\$1 or value\$1 or attribute\$1 or properti\$)) and (design-time or (design adj time)) and (runtime or run-time or (run adj time)))	589	<u>L7</u>
<u>L6</u>	L5 not l4	4	<u>L6</u>
<u>L5</u>	(((first adj control) with (type\$1 or value\$1 or attribute\$1 or properti\$)) and (design-time or (design adj time)) and (runtime or run-time or (run adj time)))	7	<u>L5</u>
<u>L4</u>	l1 and (((first adj control) with (type\$1 or value\$1 or attribute\$1 or properti\$)) and (design-time or (design adj time)) and (runtime or run-time or (run adj time)))	3	<u>L4</u>
<u>L3</u>	(((first adj control) with (type\$1 or value\$1 or attribute\$1 or properti\$)) and (design-time or (design adj time)) and (runtime or run-time or (run adj time)))	0	<u>L3</u>
<u>L2</u>	l1 and (((first adj control) with (type\$1 or value\$1 or attribute\$1 or properti\$)) and (design-time or (design adj time)) and (runtime or run-time or (run adj time)))	0	<u>L2</u>
<u>L1</u>	715/\$.ccls. or 707/\$.ccls. or 717/\$.ccls.	52093	<u>L1</u>

END OF SEARCH HISTORY